Notice of Allowability

Application No.	Applicant(s)	
10/626,187	DAVIES, JOHN	
Examiner	Art Unit	1
CRISTEN C MATTER	3771	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to the amendment filed 1/11/2008.
- The allowed claim(s) is/are 15,16,21-27,30,31,33-37 and 39-41.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a)

 All b)

 Some* c)

 None of the:
 - 1. A Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. _____
 - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDOMMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) Thereto or 2) to Paper No./Mail Date
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2.
 Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO/SB/08),
- Paper No./Mail Date 1/11/2008
- Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- 6. Interview Summary (PTO-413),
- Paper No./Mail Date <u>20080624</u> .
 7. ⊠ Examiner's Amendment/Comment
- 8.

 Examiner's Statement of Reasons for Allowance
- 9. Other _____.

/Kristen C. Matter/ Examiner, Art Unit 3771 Art Unit: 3771

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Marty Fleit on 6/24/2008.

The application has been amended as follows:

In claim 15, line 6, change "respirator," to --respirator; and a microphone receptor that receives the second open end of the sound tube and is adapted to be releasably pushed over the microphone;--.

In claim 16, line 1, delete "including a"; insert --wherein the second open end of the sound tube terminates in the-- immediately after "claim 15"; and change "box" to --receptor--,

In claim 16, lines 1-2, delete "in which the second open end of the sound tube terminates".

In claim 16, line 2, change "box" to --receptor--.

In claim 16, line 3, delete "any".

Cancel claims 17-20

In claim 24, line 3, delete "any".

In claim 27, line 3, change "microphone," to --boom microphone of a headset; and a microphone receptor in which the second open end of the sound tube terminates, said

Application/Control Number: 10/626,187

Art Unit: 3771

microphone receptor being designed and arranged to fit over and push releasably over the boom microphone to shield the boom microphone from incident sound other than that received via the sound tube:—.

In claim 27, line 4, add --boom-- immediately before "microphone".

Cancel claims 28 and 29.

In claim 31, lines 1-2, delete "the microphone adapter further includes a microphone box in which".

In claim 31, line 3, add —in said microphone receptor—immediately after "terminates" (before the comma) and change "box" to --receptor--.

In claim 31, line 4, delete "any".

In claim 34, line 3, change "the exhale diaphragm" to --an exhale diaphragm--.

In claim 41, line 11, delete "any".

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US 5,428,688 is cited to show another similar microphone adapter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KRISTEN C. MATTER whose telephone number is (571)272-5270. The examiner can normally be reached on Monday - Friday 9-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/626,187 Page 4

Art Unit: 3771

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kristen C. Matter/ Examiner, Art Unit 3771

/Justine R Yu/ Supervisory Patent Examiner, Art Unit 3771